

ubá


u·bá

Sf

1 Canoe without a keel, small and shallow, used by the indigenous people, excavated from a single tree trunk, or made from the bark of the tree, in one piece.

2 Canoe or any light vessel

ETIMOLOGIA




Ubá is the new linear system from Omega Light.

Made of extruded aluminum profile in three sizes, with microtextured paint and aluminum components with anodized finish, it is presented in standalone models with darklight lenses.

Suitable for residential environments such as dining rooms, or corporate environments like meeting and reception rooms.

Ubá brings comfortable and controlled lighting, in a light and elegant way, for the most diverse environments.









ubá G

Alumínio extrudado pintado poliéster microtexturizado
Ponteira em alumínio anodizado
Ótica darklight UGR<16





- CCT: 3000K
- IRC >90



UA.0017

- Fluxo luminoso: 3236lm
- Potência: 31,5W
- Facho: 30°

- Fluxo luminoso: 3568lm
- Potência: 31,5W
- Facho: 65°



UA.0018





- Fluxo luminoso: 4045lm
- Potência: 39,4W
- Facho: 30°

- Fluxo luminoso: 4460lm
- Potência: 39,4W
- Facho: 65°

ubá G

Alumínio extrudado pintado poliéster microtexturizado
Ponteira em alumínio anodizado
Ótica darklight UGR<16

- CCT: 3000K
- IRC >90



UA.0019

- Fluxo luminoso: 4854lm
- Potência: 46,8W
- Facho: 30°

- Fluxo luminoso: 5352lm
- Potência: 46,8W
- Facho: 65°

standalone

darklight

standalone

darklight

